

Printing date 29.08.2024

Page 1/9

Revision: 29.08.2024

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Version number 9 (replaces version 8)

SECTION 1: Identification of the substance/mixture and of the company/undertaking · 1.1 Product identifier • Trade name: Tetra Test NO<sub>3</sub>- 2 · Article number: 817.180 · UFI: 7G10-S0H0-600U-2SH0 · 1.2 Relevant identified uses of the substance or mixture and uses advised against • Sector of Use SU21 Consumer uses: Private households / general public / consumers • Application of the substance / the mixture Test solution for aquarium and pond water • 1.3 Details of the supplier of the safety data sheet · Manufacturer/Supplier: Tetra GmbH Herrenteich 78 D-49324 Melle Germany · Importer Spectrum Brands (UK) Ltd. Fir Street, Failsworth, Manchester, M35 0HS England +44 (161) 9473000 · Informing department: Regulatory Department Tel. +49(0)5422-105-0 email: MSDS@eu.spectrumbrands.com · 1.4 Emergency telephone number: 24-hour-Emergency-Telephone-Number (Company/Contract ID code: "TTR") +1 872 5888271 National Health Service (NHS): 111 **SECTION 2: Hazards identification** · 2.1 Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/2008 GHS02 flame

Flam. Liq. 3 H226 Flammable liquid and vapour.

GHS07

Eye Irrit. 2 H319 Causes serious eye irritation.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)

Printing date 29.08.2024

Version number 9 (replaces version 8)

Revision: 29.08.2024

Trade name: Tetra Test NO<sub>3</sub> 2

<del></del>	(Contd. of page 1)
Hazard picto	ograms
	$\wedge$
<b>くや&gt;&lt;</b>	
	$\checkmark$
GHS02 C	GHS07
Signal word	Warning
Hazard state	-
	nable liquid and vapour.
	s serious eye irritation.
	ry statements
P101	<i>If medical advice is needed, have product container or label at hand.</i>
P102	Keep out of reach of children.
P103	Read carefully and follow all instructions.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P305+P351	+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P501	Dispose of contents/container in accordance with national regulations.
2.3 Other ha	zards
Results of P	BT and vPvB assessment
PBT: no	
vPvB: no	
Determination	on of endocrine-disrupting properties no

#### **SECTION 3: Composition/information on ingredients**

· 3.2 Mixtures

• Description: Aqueous solution comprising several components.

· Dangerous components:		
CAS: 67-63-0	propan-2-ol	15.334%
EINECS: 200-661-7	🕐 Flam. Liq. 2, H225; 🚸 Eye Irrit. 2, H319; STOT SE 3,	
Reg.nr.: 01-2119457558-25-XXXX	Й336	

· SVHC

This product does not contain any substances of very high concern pursuant to Reach Regulation (EC) No. 1907/2006 (Art. 57) above the legal concentration limit of  $\ge 0.1\%$  (w/w).

• Additional information For the wording of the listed hazard phrases refer to section 16.

#### **SECTION 4: First aid measures**

• 4.1 Description of first aid measures

- After inhalation Supply fresh air; consult doctor in case of symptoms.
- *After skin contact The product is not skin irritating.*
- · After eye contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.

• After swallowing In case of persistent symptoms consult doctor.

• 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

(Contd. on page 3)

BRI

aing to Regulation (EC) No 1907/2006, Art

Printing date 29.08.2024

Version number 9 (replaces version 8)

Revision: 29.08.2024

(Contd. of page 2)

Trade name: Tetra Test NO<sub>3</sub> 2

#### **SECTION 5: Firefighting measures**

• 5.1 Extinguishing media

- Suitable extinguishing agents
- CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

#### **SECTION 6:** Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- **6.2 Environmental precautions:** Prevent material from reaching sewage system, holes and cellars. Dilute with much water.

Do not allow to enter drainage system, surface or ground water.

- 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose of contaminated material as waste according to item 13. Ensure adequate ventilation.
- 6.4 Reference to other sections See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for information on disposal.

#### **SECTION 7: Handling and storage**

· 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

• 7.2 Conditions for safe storage, including any incompatibilities

· Storage

- **Requirements to be met by storerooms and containers:** No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- · Storage class 3
- · 7.3 Specific end use(s) No further relevant information available.

#### SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Components with limit values that require monitoring at the workplace:

67-63-0 propan-2-ol

WEL (Great Britain) Short-term value: 1250 mg/m<sup>3</sup>, 500 ppm Long-term value: 999 mg/m<sup>3</sup>, 400 ppm

• **Regulatory information** WEL (Great Britain): EH40/2020

• Additional information: The lists that were valid during the compilation were used as basis.

· 8.2 Exposure controls

• Appropriate engineering controls No further data; see section 7.

(Contd. on page 4)

BRI

Printing date 29.08.2024

· Density at 20 °C

· Relative density

· Vapour density

· Appearance: · Form:

• 9.2 Other information

\*

Version number 9 (replaces version 8)

Revision: 29.08.2024

Trade name: Tetra Test NO<sub>3</sub> 2

Individual protection measures, such as person General protective and hygienic measures	al protective equipment
Keep away from foodstuffs, beverages and food.	
Take off immediately all contaminated clothing	
Wash hands during breaks and at the end of the	work
Avoid contact with the eyes and skin.	
Breathing equipment: Not required.	
Hand protection	
	esistant to the product/ the substance/ the preparation.
	ation of the penetration times, rates of diffusion and a
degradation	
The protective gloves to be used must comply	with the specifications of EC Directive 89/686/EEC and
related standard EN374, e.g. KCL 890 Vitoject®	(full contact), KCL 890 Vitoject® (splash contact).
Material of gloves	
Fluorocarbon rubber (Viton)	
Recommended thickness of the material: $\geq 0.7$ n	nm
Penetration time of glove material	
The exact break trough time has to be found or	ut by the manufacturer of the protective gloves and has to
observed.	
Eye/face protection Tightly sealed safety glasses	S.
9.1 Information on basic physical and chemica	II NRANPRINES
General Information	Fluid
General Information Physical state	
General Information Physical state Colour:	Fluid
General Information Physical state Colour: Odour:	Fluid Colourless Alcohol-like Not determined.
General Information Physical state Colour: Odour: Odour threshold:	Fluid Colourless Alcohol-like
General Information Physical state Colour: Odour: Odour threshold: Melting point/freezing point:	Fluid Colourless Alcohol-like Not determined. -155 °C g
General Information Physical state Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range	Fluid Colourless Alcohol-like Not determined. -155 °C g 86 °C (DSC)
General Information Physical state Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability	Fluid Colourless Alcohol-like Not determined. -155 °C g
General Information Physical state Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability	Fluid Colourless Alcohol-like Not determined. -155 °C g 86 °C (DSC) Flammable.
General Information Physical state Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower:	Fluid Colourless Alcohol-like Not determined. -155 °C g 86 °C (DSC) Flammable. 2 Vol % (67-63-0 propan-2-ol)
General Information Physical state Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper:	Fluid Colourless Alcohol-like Not determined. -155 °C <b>g</b> 86 °C (DSC) Flammable. 2 Vol % (67-63-0 propan-2-ol) 12 Vol % (67-63-0 propan-2-ol)
General Information Physical state Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point:	Fluid Colourless Alcohol-like Not determined. -155 °C <b>g</b> 86 °C (DSC) Flammable. 2 Vol % (67-63-0 propan-2-ol) 12 Vol % (67-63-0 propan-2-ol) 33 °C (DIN 13736)
General Information Physical state Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Auto-ignition temperature:	Fluid Colourless Alcohol-like Not determined. -155 °C <b>g</b> 86 °C (DSC) Flammable. 2 Vol % (67-63-0 propan-2-ol) 12 Vol % (67-63-0 propan-2-ol) 33 °C (DIN 13736) 425 °C (67-63-0 propan-2-ol)
General Information Physical state Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Auto-ignition temperature: Decomposition temperature:	Fluid Colourless Alcohol-like Not determined. -155 °C <b>g</b> 86 °C (DSC) Flammable. 2 Vol % (67-63-0 propan-2-ol) 12 Vol % (67-63-0 propan-2-ol) 33 °C (DIN 13736) 425 °C (67-63-0 propan-2-ol) Not determined.
General Information Physical state Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Auto-ignition temperature: Decomposition temperature: pH at 20 °C	Fluid Colourless Alcohol-like Not determined. -155 °C <b>g</b> 86 °C (DSC) Flammable. 2 Vol % (67-63-0 propan-2-ol) 12 Vol % (67-63-0 propan-2-ol) 33 °C (DIN 13736) 425 °C (67-63-0 propan-2-ol)
General Information Physical state Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Auto-ignition temperature: Decomposition temperature: pH at 20 °C Viscosity:	Fluid Colourless Alcohol-like Not determined. -155 °C <b>g</b> 86 °C (DSC) Flammable. 2 Vol % (67-63-0 propan-2-ol) 12 Vol % (67-63-0 propan-2-ol) 33 °C (DIN 13736) 425 °C (67-63-0 propan-2-ol) Not determined. 6.5
General Information Physical state Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Auto-ignition temperature: Decomposition temperature: pH at 20 °C Viscosity: Kinematic viscosity at 20 °C	Fluid Colourless Alcohol-like Not determined. -155 °C g 86 °C (DSC) Flammable. 2 Vol % (67-63-0 propan-2-ol) 12 Vol % (67-63-0 propan-2-ol) 33 °C (DIN 13736) 425 °C (67-63-0 propan-2-ol) Not determined. 6.5 <10 mm <sup>2</sup> /s
General Information Physical state Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Auto-ignition temperature: Decomposition temperature: pH at 20 °C Viscosity: Kinematic viscosity at 20 °C dynamic at 20 °C:	Fluid Colourless Alcohol-like Not determined. -155 °C <b>g</b> 86 °C (DSC) Flammable. 2 Vol % (67-63-0 propan-2-ol) 12 Vol % (67-63-0 propan-2-ol) 33 °C (DIN 13736) 425 °C (67-63-0 propan-2-ol) Not determined. 6.5
General Information Physical state Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Auto-ignition temperature: Decomposition temperature: pH at 20 °C Viscosity: Kinematic viscosity at 20 °C dynamic at 20 °C: Solubility	Fluid Colourless Alcohol-like Not determined. $-155 \degree C$ <b>g</b> 86 °C (DSC) Flammable. 2 Vol % (67-63-0 propan-2-ol) 12 Vol % (67-63-0 propan-2-ol) 33 °C (DIN 13736) 425 °C (67-63-0 propan-2-ol) Not determined. 6.5 <10 mm <sup>2</sup> /s <10 mPas
General Information Physical state Colour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Auto-ignition temperature: Decomposition temperature: pH at 20 °C Viscosity: Kinematic viscosity at 20 °C dynamic at 20 °C: Solubility Water:	Fluid Colourless Alcohol-like Not determined. $-155 \degree C$ g 86 °C (DSC) Flammable. 2 Vol % (67-63-0 propan-2-ol) 12 Vol % (67-63-0 propan-2-ol) 33 °C (DIN 13736) 425 °C (67-63-0 propan-2-ol) Not determined. 6.5 <10 mm <sup>2</sup> /s <10 mPas Soluble
General Information Physical state Colour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Auto-ignition temperature: Decomposition temperature: pH at 20 °C Viscosity: Kinematic viscosity at 20 °C dynamic at 20 °C: Solubility Water: Partition coefficient n-octanol/water (log value)	Fluid Colourless Alcohol-like Not determined. $-155 \degree C$ <b>g</b> 86 $\degree C$ (DSC) Flammable. 2 Vol % (67-63-0 propan-2-ol) 12 Vol % (67-63-0 propan-2-ol) 33 $\degree C$ (DIN 13736) 425 $\degree C$ (67-63-0 propan-2-ol) Not determined. 6.5 <10 mm <sup>2</sup> /s <10 mPas Soluble Not determined.
General Information Physical state Colour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Auto-ignition temperature: Decomposition temperature: pH at 20 °C Viscosity: Kinematic viscosity at 20 °C dynamic at 20 °C: Solubility Water: Partition coefficient n-octanol/water (log value, Vapour pressure at 20 °C:	Fluid Colourless Alcohol-like Not determined. $-155 \degree C$ g 86 °C (DSC) Flammable. 2 Vol % (67-63-0 propan-2-ol) 12 Vol % (67-63-0 propan-2-ol) 33 °C (DIN 13736) 425 °C (67-63-0 propan-2-ol) Not determined. 6.5 <10 mm <sup>2</sup> /s <10 mPas Soluble
General Information Physical state Colour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Auto-ignition temperature: Decomposition temperature: pH at 20 °C Viscosity: Kinematic viscosity at 20 °C dynamic at 20 °C: Solubility Water: Partition coefficient n-octanol/water (log value)	Fluid Colourless Alcohol-like Not determined. $-155 \degree C$ <b>g</b> 86 $\degree C$ (DSC) Flammable. 2 Vol % (67-63-0 propan-2-ol) 12 Vol % (67-63-0 propan-2-ol) 33 $\degree C$ (DIN 13736) 425 $\degree C$ (67-63-0 propan-2-ol) Not determined. 6.5 <10 mm <sup>2</sup> /s <10 mPas Soluble Not determined.

0.9782 g/cm<sup>3</sup>

Fluid

Not determined.

Not determined.

(Contd. on page 5) BRI

# Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 29.08.2024

Version number 9 (replaces version 8)

Revision: 29.08.2024

Trade name: Tetra Test NO<sub>3</sub> 2

	(Contd. of page 4	
Important information on protection of heal	th and	
environment, and on safety.		
Self-inflammability:	Product is not selfigniting.	
Explosive properties:	Product is not explosive. However, formation of explosive air/steam mixtures is possible.	
Solvent content:		
Organic solvents:	15.3 %	
Water:	84.1 %	
Solids content:	0.5 %	
Change in condition		
Evaporation rate	Not determined.	
Information with regard to physical hazard of	classes	
Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Flammable liquid and vapour.	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit flamm	able	
gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

#### **SECTION 10: Stability and reactivity**

• 10.1 Reactivity No further relevant information available.

10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· 10.3 Possibility of hazardous reactions No dangerous reactions known

· 10.4 Conditions to avoid No further relevant information available.

- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known

#### **SECTION 11: Toxicological information**

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification:

Source: European Chemicals Agency, http://echa.europa.eu/

67-63-0 propan-2-ol

Oral LD50 5,840 mg/kg (Rat)

ECHA registration dossier

· Skin corrosion/irritation Based on available data, the classification criteria are not met.

• Serious eye damage/irritation Causes serious eye irritation.

• Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

• Germ cell mutagenicity Based on available data, the classification criteria are not met.

• Carcinogenicity Based on available data, the classification criteria are not met.

(Contd. on page 6)

BRI

Printing date 29.08.2024

Version number 9 (replaces version 8)

Revision: 29.08.2024

(Contd. of page 5)

Trade name: Tetra Test NO<sub>3</sub> 2

- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met. · Aspiration hazard Based on available data, the classification criteria are not met.

• 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

#### **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity:
- Source: European Chemicals Agency, http://echa.europa.eu/

67-63-0 propan-2-ol

LC50/24h 9,714 mg/l (Daphnia Magna)

ECHA registration dossier

· 12.2 Persistence and degradability No further relevant information available.

- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- **PBT:** The substances in the mixture do not meet the PBTcriteria according to REACH, annex XIII.
- vPvB: The substances in the mixture do not meet the vPvB criteria according to REACH, annex XIII.
- · 12.6 Endocrine disrupting properties
- The product does not contain substances with endocrine disrupting properties.
- · 12.7 Other adverse effects
- Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water. Do not allow product to reach ground water, water bodies or sewage system. Danger to drinking water if even small quantities leak into soil.

### **SECTION 13: Disposal considerations**

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. • Waste disposal key number: Waste key numbers are to be determined according to the specific process.

#### · European waste catalogue

HP3 Flammable

· Uncleaned packagings:

- **Recommendation:** Disposal must be made according to official regulations.
- · Recommended cleaning agent: Water, if necessary with cleaning agent.

SECTION 14: Transport information	tion
· 14.1 UN number or ID number · ADR, IMDG, IATA	UN1987
· 14.2 UN proper shipping name · ADR	1987 ALCOHOLS, N.O.S. (ISOPROPANOL (ISOPROPYL ALCOHOL))
	(Contd. on page 7 B

Printing date 29.08.2024

Version number 9 (replaces version 8)

Revision: 29.08.2024

Trade name: Tetra Test NO<sub>3</sub> 2

	(Contd. of page
· IMDG, IATA	ALCOHOLS, N.O.S. (ISOPROPANOL (ISOPROPY) ALCOHOL))
14.3 Transport hazard class(es)	
ADR, IMDG, IATA	
- Class	3 Flammable liquids.
Label	3
14.4 Packing group	
ADR, IMDG, IATA	III
14.5 Environmental hazards:	
Marine pollutant:	No
14.6 Special precautions for user	Warning: Flammable liquids.
Kemler Number:	30
EMS Number:	F-E,S-D
14.7 Maritime transport in bulk according	
instruments	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	5 L
Transport category	3
Tunnel restriction code	D/E
Remarks:	Classification according to 2.1.3.3 ADR/RID/ADN
·IMDG	
Limited quantities (LQ)	5 L
Remarks:	Classification according to 2.0.2.5.2.3 IMDG-Code
UN "Model Regulation":	UN 1987 ALCOHOLS, N.O.S. (ISOPROPANO) (ISOPROPYL ALCOHOL)), 3, III

#### **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation. · Hazard pictograms



· Signal word Warning · Hazard statements H226 Flammable liquid and vapour. H319 Causes serious eye irritation. · Precautionary statements P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children.

(Contd. on page 8)

BRI

	accor	Safety data sheet ding to Regulation (EC) No 1907/2006, Article	31
Printing date 29.	08.2024	Version number 9 (replaces version 8)	Revision: 29.08.202
Trade name: Tet	ra Test NO <sub>3</sub> -	2	
			(Contd. of page 7
P103 P210	Кеер ам	refully and follow all instructions. vay from heat, hot surfaces, sparks, open flames an	nd other ignition sources. No
P305+P351-		YES: Rinse cautiously with water for several minut and easy to do. Continue rinsing.	es. Remove contact lenses,
P501		of contents/container in accordance with national re	egulations.
	erous substanc	<b>es - ANNEX I</b> None of the ingredients is listed. MABLE LIQUIDS	
· Qualifying q · Qualifying q · REGULATI	uantity (tonnes) uantity (tonnes)	) for the application of lower-tier requirements 5.00 ) for the application of upper-tier requirements 50.0 07/2006 ANNEX XVII Conditions of restriction: 3	
· Annex I - R under Article		EXPLOSIVES PRECURSORS (Upper limit value)	for the purpose of licensing
	ngredients is lis	ted.	
· Annex II - R	EPORTABLE .	EXPLOSIVES PRECURSORS	
None of the i	ngredients is lis	ted.	
· Regulation (	EC) No 273/20	04 on drug precursors	
None of the i	ngredients is lis	ted.	
	EC) No 111/20 es in drug prec	005 laying down rules for the monitoring of trade a ursors	between the Community and
None of the i	ngredients is lis	ted.	
• <b>National reg</b> The product hazardous m	is subject to c	lassification in accordance with the prevailing v	ersion of the regulations of
Class Sha	structions (air). re in % 15.3	:	
· Water hazar	<b>d class:</b> Water h	nazard class 2 (Self-assessment): hazardous for wate	r.
• Other regula	tions. limitation	ns and prohibitive regulations	
• <b>Substances o</b> This product 1907/2006 (A	<b>f very high con</b> does not conta lrt. 57) above th	<i>acern (SVHC) according to REACH, Article 57</i> <i>win any substances of very high concern pursuant to</i> <i>the legal concentration limit of</i> $\geq 0.1\%$ ( <i>w/w</i> ). <i>ment: A Chemical Safety Assessment has not been co</i>	
	16: Other in		
specific prod This Safety I	uct features and	ur present knowledge. However, they shall not co l shall not establish a legally valid contractual relati in compliance with Regulation (EC) No 1907/200	ionship.
	<b>ases</b> flammable liqu serious eye irr		
	use drowsiness		
		Regulation (EC) No 1272/2008	
Flammable li		On basis of test data	
Serious eye d	amage/irritatio	n The classification of the mixture is generally base using substance data according to Regulation (EC	

using substance data according to Regulation (EC) No 1272/2008. (Contd. on page 9)

BRI

Printing date 29.08.2024

Version number 9 (replaces version 8)

Revision: 29.08.2024

Trade name: Tetra Test NO<sub>3</sub> 2

(Contd. of	f page 8)
Department issuing data specification sheet:	
Tetra GmbH	
Herrenteich 78	
49324 Melle	
Germany	
Contact:	
Tetra GmbH	
Tel.:+49(0)5422105-0	
Date of previous version: 17.10.2022	
Version number of previous version: 8	
Abbreviations and acronyms:	
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concer	ning the
International Carriage of Dangerous Goods by Road)	0
IMDG: International Maritime Code for Dangerous Goods	
IATA: International Air Transport Association	
GHS: Globally Harmonised System of Classification and Labelling of Chemicals	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent	
PBT: Persistent. Bioaccumulative and Toxic	
SVHC: Substances of Very High Concern	
vPvB: very Persistent and very Bioaccumulative	
Flam. Liq. 2: Flammable liquids – Category 2	
Flam. Liq. 3: Flammable liquids – Category 3	
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2	
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3	
* Data compared to the previous version altered.	
	BI